

CHAINS & TOOLING

DISC CHAIN DC60



FARMING THE FUTURE


DC72 Disc Chain

DISCCHAIN DC60



Seedbed preparation with DC60

- » Excellent performance across all applications
- » Superior Stubble Incorporation
- » Superior Soil Levelling
- » Optimum seedbed preparation



SPECIFICATIONS

WEIGHT	60KG/M
DISC COMPOSITION	6MM BISALLOY 80
HUB COMPOSITION	80MM SOLID BAR
OVERALL DIAMETER	305MM
DISC SPACING	150MM
CHAIN LINK FORM	PINNED MODULES
DISC SHAPE	FLAT OR CURVED

TOOLING QUICK COMPARISON CHART

	PC18	DLC36	DC60	DC64	DC72	DC90	KC96
CHAIN CHARACTERISTICS							
Weight (kg/m)	18	36	60	69	72	98	96
Overall Diameter (mm)	260	255	305	368	325	368	230
Physical Flexibility	N/A	High	Low	Moderate	Heavy	Moderate	Low
Disc Thickness	N/A	N/A	6mm	4.75mm	6mm	4.75mm	N/A
Disc Type	N/A	N/A	Curved	Sharpened	Curved	Sharpened	N/A
Replaceable Discs	N/A	N/A	No	Yes	Yes	Yes	N/A
Typical Tilth Level	Minimum	Zero	Medium	Heavy	Heavy	Heavy	Minimum
SOIL TYPES							
Hard & Tight	x	x	✓	✓✓✓	✓✓	✓✓✓✓	✓✓
Heavy	✓	✓✓	✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓
Light	✓✓✓	✓✓✓✓	✓✓	x	✓	x	✓✓✓
Erosion Sensitive	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
STUBBLE MANAGEMENT							
Stubble Knockdown	✓✓	✓✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓✓
Stubble Mulching	✓	✓✓✓✓	✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓
Stubble & Soil Mix	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓
SEEDING							
Canola & Grasses	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
Cereal	✓✓✓	✓✓✓✓	✓✓✓	x	✓✓	x	✓✓✓✓
OTHER TASKS							
Weed Control	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓
Chemical Incorporation	✓✓✓	✓✓	✓✓✓✓	✓	✓✓✓	x	✓✓✓
Soil Levelling	✓✓	✓✓✓	✓✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓

LEGEND

Not Recommended	Acceptable	Good	Great	Recommended
x	✓	✓✓	✓✓✓	✓✓✓✓

For Details on Horsepower, please see ratings table on page 12

1800 774 274

FARMING THE FUTURE

BROOKFIELD[®]
FARMING THE FUTURE

1800 774 274

www.brookfield.net.au

sales@brookfield.net.au