TOOLS & TOOLING

DISCCHAIN DC40

MORE INFO

- Superior performance for minimal tilth
- Superior performance in light soils
- Excellent Soil Levelling
- High performance across all applications



STANDARD FEATURES

Weight	40 kg/m
Disc Composition	6mm Bisalloy 80
Hub Composition	75x75mm RHS
Overall Diameter	305mm
Disc Spacing	150mm
Chain Link Form	RHS Modules on Stud Link Chain
Disc Shape	Flat or Curved

IT JUST KEEPS GETTING BETTER...

Other Chain Options:

- Disc Chain 72 – Replaceable Disc Hook & Eye
- Disc Chain 64 – Replaceable Disc Hook & Eye
- Disc Chain 62 – Replaceable Disc Rigid Flex
- Disc Chain 60 – Standard Rigid Flex
- Dog Leg Chain
- Prickle Chain

See *Brookfield Chains & Tooling* for more info or CALL US NOW to discuss your requirements.

TOOLING QUICK COMPARISON CHART

CHAIN CHARACTERISTICS	PC18	DLC36	DC40	DC60	DC62	DC64	DC72
							
Weight (kg/m)	18	36	40	60	62	64	72
Physical Flexibility	✓✓✓	✓✓✓	✓	✓✓	✓✓	✓✓✓	✓✓✓
Replaceable Discs	N/A	N/A	No	No	Yes	Yes	Yes
Typical Tilth Level	Minimum	Zero	Light	Medium	Medium	Heavy	Heavy
Operating Speed	8-18	8-18	7-15	7-15	7-15	7-15	7-15
SOIL TYPES							
Heavy	✓	✓✓✓	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓
Light	✓✓	✓✓	✓✓	✓✓✓	✓✓✓	✓✓	✓✓✓
Soft & Powdered	✓✓✓	✓✓	✓✓	✓✓	×	×	×
Erosion Sensitive	✓✓✓	✓✓✓	✓✓	✓	✓	✓	✓
STUBBLE MANAGEMENT							
Stubble Knockdown	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓
Stubble Mulching	✓	✓✓✓	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓
Stubble & Soil Mix	✓	✓	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓
SEEDING							
Canola	✓✓	✓✓✓	✓	✓	✓	×	✓
Cereal	✓	✓✓✓	✓✓	✓	✓	✓	✓
Grasses	✓✓	✓✓✓	✓	✓	✓	×	✓
OTHER TASKS							
Weed Control	✓	×	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓
Chemical Incorporation	✓	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓
Soil Leveling	✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓	✓✓

LEGEND			
Good	Better	Best	Not Recommended
✓	✓✓	✓✓✓	×

For Details on Horsepower, please see ratings table on page 12

1800 774 274

AUSTRALIAN MADE

FARMING THE FUTURE

BROOKFIELD®

FARMING THE FUTURE

1800 774 274

www.brookfield.net.au

sales@brookfield.net.au