

CHAINS & TOOLING


DISC CHAIN DC60



FARMING THE FUTURE



Stubble management with DC60



Levelling with DC60

- » Excellent performance across all applications
- » Superior Stubble Incorporation
- » Superior Soil Levelling
- » Optimum seed bed preparation










STANDARD FEATURES

Weight	60 kg/m
Disc Composition	6mm Bisalloy 80
Hub Composition	80mm Solid Bar
Overall Diameter	305mm
Disc Spacing	150mm
Chain Link Form	Pinned Modules
Disc Shape	Flat or Curved



TOOLING QUICK COMPARISON CHART

	PC18 	DLC36 	DC60 	DC64 	DC72 	DC90 	KC96 
CHAIN CHARACTERISTICS							
Weight (kg/m)	18	36	60	69	72	98	96
Overall Diameter (mm)	260	255	305	368	325	368	230
Physical Flexibility	N/A	High	Low	Moderate	Heavy	Moderate	Low
Disc Thickness	N/A	N/A	6mm	4.75mm	6mm	4.75mm	N/A
Disc Type	N/A	N/A	Curved	Sharpened	Curved	Sharpened	N/A
Replaceable Discs	N/A	N/A	No	Yes	Yes	Yes	N/A
Typical Tilth Level	Minimum	Zero	Medium	Heavy	Heavy	Heavy	Minimum
SOIL TYPES							
Hard & Tight	x	x	✓	✓✓✓	✓✓	✓✓✓✓	✓✓
Heavy	✓	✓✓	✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓
Light	✓✓✓	✓✓✓✓	✓✓	x	✓	x	✓✓✓
Erosion Sensitive	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
STUBBLE MANAGEMENT							
Stubble Knockdown	✓✓	✓✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓✓
Stubble Mulching	✓	✓✓✓✓	✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓
Stubble & Soil Mix	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓
SEEDING							
Canola & Grasses	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
Cereal	✓✓✓	✓✓✓✓	✓✓✓	x	✓✓	x	✓✓✓✓
OTHER TASKS							
Weed Control	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓
Chemical Incorporation	✓✓✓	✓✓	✓✓✓✓	✓	✓✓✓	x	✓✓✓
Soil Levelling	✓✓	✓✓✓	✓✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓

LEGEND

Not Recommended	Acceptable	Good	Great	Recommended
x	✓	✓✓	✓✓✓	✓✓✓✓



For Details on Horsepower, please see ratings table on page 9

1800 774 274

FARMING THE FUTURE



BROOKFIELD[®]
FARMING THE FUTURE

1800 774 274

www.brookfield.net.au

sales@brookfield.net.au