

CHAINS & TOOLING

DISC CHAIN DC72



FARMING THE FUTURE



Stubble knockdown and levelling with DC72


- » Replaceable Discs for High Usage & Contractors
- » Maximum Tilth Creation
- » Excellent Performance in Heavy Soils
- » Maximum Chain Flexibility










STANDARD FEATURES

Weight	72kg/m
Disc Composition	6mm Bisalloy 400
Hub Composition	Patented Forged Steel Hook & Eye
Overall Diameter	325mm
Disc Spacing	160mm
Chain Link Form	Replaceable Disc Hook & Eye
Disc Shape	Curved

Hi-tensile fasteners



TOOLING QUICK COMPARISON CHART

	PC18	DLC36	DC60	DC64	DC72	DC90	KC96
CHAIN CHARACTERISTICS							
Weight (kg/m)	18	36	60	69	72	98	96
Overall Diameter (mm)	260	255	305	368	325	368	230
Physical Flexibility	N/A	High	Low	Moderate	Heavy	Moderate	Low
Disc Thickness	N/A	N/A	6mm	4.75mm	6mm	4.75mm	N/A
Disc Type	N/A	N/A	Curved	Sharpened	Curved	Sharpened	N/A
Replaceable Discs	N/A	N/A	No	Yes	Yes	Yes	N/A
Typical Tilth Level	Minimum	Zero	Medium	Heavy	Heavy	Heavy	Minimum
SOIL TYPES							
Hard & Tight	x	x	✓	✓✓✓	✓✓	✓✓✓✓	✓✓
Heavy	✓	✓✓	✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓
Light	✓✓✓	✓✓✓✓	✓✓	x	✓	x	✓✓✓
Erosion Sensitive	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
STUBBLE MANAGEMENT							
Stubble Knockdown	✓✓	✓✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓✓
Stubble Mulching	✓	✓✓✓✓	✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓
Stubble & Soil Mix	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓
SEEDING							
Canola & Grasses	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
Cereal	✓✓✓	✓✓✓✓	✓✓✓	x	✓✓	x	✓✓✓✓
OTHER TASKS							
Weed Control	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓
Chemical Incorporation	✓✓✓	✓✓	✓✓✓✓	✓	✓✓✓	x	✓✓✓
Soil Levelling	✓✓	✓✓✓	✓✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓

LEGEND

Not Recommended	Acceptable	Good	Great	Recommended
x	✓	✓✓	✓✓✓	✓✓✓✓

For Details on Horsepower, please see ratings table on page 9

1800 774 274

FARMING THE FUTURE



BROOKFIELD[®]
FARMING THE FUTURE

1800 774 274

www.brookfield.net.au

sales@brookfield.net.au